



## Academic Detailing Pre-Session Survey

As part of the project titled, "Increasing Workforce Capacity for Medication-Assisted Treatment Through Residency and Advanced Practice Programs", you acknowledged that UNC Health Sciences at MAHEC would engage in evaluation activities. Your participation is optional and voluntary.

Your completion of the survey signifies your willingness to participate in this evaluation study. Attempts will be made to maintain your confidentiality as any information reported from this evaluation will be shared only in aggregate form.

Adapted from the Program Planning & Evaluation – Materials & Examples Website Section of the National Resource Center for Academic Detailing (NaRCAD) at <https://www.narcad.org/examples-of-program-materials.html>. Accessed on 7/6/2020.

\* Required

Name: \*

Your answer

Before completing academic detailing, what opioid stewardship strategies have you used in clinical practice? (Check all that apply)

Never

Sometimes

Frequently

Always

Before completing academic detailing, what opioid stewardship strategies have you used in clinical practice? (Check all that apply)

	Never	Sometimes	Frequently	Always
Prescribe non-pharmacologic therapies for acute and chronic pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Prescribe non-opioid medications for acute and chronic pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Avoid opioid and benzo co-prescribing	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pain agreement / informed consent prior to initiating opioid therapy	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Assess function as well as pain	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Regular urine toxicology testing when prescribing opioids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Regularly Check Prescription Drug Monitoring Program when prescribing opioids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Avoid prescribing  
greater than or  
equal to 90  
morphine  
milliequivalents  
daily

Prescribe  
naloxone when  
appropriate

Identify and link  
appropriate  
patients to opioid  
use disorder  
treatment

Prescribe  
buprenorphine  
for opioid use  
disorder

Submit

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#)

Google Forms

Adapted with permission from MAHEC, 2020.